



duomenys:



FILCOTEN pro NW100

I. Latakas



pro NW100 mini 60/80 V-E





pro NW100 mini 80 G




pro NW100 V-E




pro NW100 G



pro NW100 V-E, N r. 5-0 šoniniam drenažo pajungimui (grėžimui)



pro NW100 G, N r. 5-0 šoniniam drenažo pajungimui (grėžimui)



Latakas - išmatavimai [mm]

Tipas	Aukštis A	Aukštis B	Ilgis	BG kodas V	BG kodas E	BG kodas G
mini 60	60	60	1000	10510200	10510300	-
mini 80	80	80	1000	10510201	10510301	10510101
0	142	142	1000	10610200	10610300	10610100
0 (0,5m)	142	142	500	10610280	10610380	10610180
1	145	150	1000	10610201	10610301	10610101
2	150	155	1000	10610202	10610302	10610102
3	155	160	1000	10610203	10610303	10610103
4	160	165	1000	10610204	10610304	10610104
5	165	170	1000	10610205	10610305	10610105
5-0	170	170	1000	10610261	10610361	10610161
5-0 (0,5m)	170	170	500	10610281	10610381	10610181
6	170	175	1000	10610206	10610306	10610106
7	175	180	1000	10610207	10610307	10610107
8	180	185	1000	10610208	10610308	10610108
9	185	190	1000	10610209	10610309	10610109
10	190	195	1000	10610210	10610310	10610110
10-0	195	195	1000	10610262	10610362	10610162
10-0	195	195	500	10610282	10610382	10610182
20-0	245	245	1000	10610264	10610364	10610164



Paaiškinimas:	
V:	Cinkuotas plienas
E:	Nerūdijantis plienas
G:	Ketus
H:	Medis

Duomenys:




FILCOTEN pro NW100

2. Tinklinės grotelės: _____


B125kN MW30/10: V 17010220 (17010221)



C250kN MW30/10: V 17010222 (17010223), E 17010322 (17010323)





D400kN MW25/10: V 17010226 (17010227)





2. Plyšinės grotelės: _____

C250kN SW 8/80: V 17010206 (17010207), E 17010306 (17010307)



2. Perforuotos grotelės: _____

C250kN d6: V 17010228 (17010229), E 17010328 (17010329)




Duomenys:


FILCOTEN pro NW100

2. Plastikinės grotelės "COMBee":

C250kN Ø7,3: PA 17010402





B (1 : 2)





2. Ketaus grotelės:

C250kN MW29/13: GJS 17010101





C250kN MW29/6: GJS 17010106





C (1 : 2)



D400kN MW29/13: GJS 17010104





E600kN SW14/100: GJS 17010105



E600kN MW22/13: GJS 17010103, 4-ių varžtų tvirtinimas



F900kN SW14/100: GJS 17010107, 4-ių varžtų tvirtinimas





Duomenys:


FILCOTEN pro NW100

2. Plyšinis dangtis:

C250kN SW12,5: V 17110243 (17110244), E 17110343 (17110344)





C250kN SW18: V 17110233 (17110234), E 17110333 (17110334)





2. Revizija:

C250kN SW12,5: V 17110281, E 17110381




C250kN SW18: V 17110295, E 17110395





2. Plyšinio dangčio perforuotas intarpas 8/8mm:

V 37951 (37950), E 37956 (37955)




2. Montažinis plyšinio dangčio intarpas SW 18:

H 37961



4. Pabaigos plokštelė:

V 17110280, E 17110380



Duomenys:


FILCOTEN pro NW100

3. Įtekėjimo dėžė:


(pasirinktinai: sifonas: 30056

Nešvarumų indas: 22515)

V 10610290, E 10610390




G 10610190




4. Pradžios / pabaigos plokštelė:


V 19010230, E 19010330



V 19010231, E 19010331




mini: V 19010200, E 19010300



5. Saugumo užraktas :

32087



6. Tvirtinimo varžtai:

V 32103



E 32109



7. Sifonas

PVC 30019

